



CLAIMS

1. (Previously Amended) A sound diffuser with low frequency sound absorption, comprising:

a) a body having a front surface configured to diffuse sound waves; and

b) means receiving sound waves via said front surface for absorbing sound waves below a desired cut-off frequency.

2. (Original) The invention of Claim 1, wherein said front surface includes a plurality of divided or non-divided parallel wells.

3. (Original) The invention of Claim 1, wherein said front surface includes a two-dimensional pattern of geometrical or irregular shape chosen from the group consisting of cylindrical, conical, pyramidal, polygonal or rectangular.

4. (Original) The invention of Claim 3, wherein said shapes are separated by slots or holes.

5. (Previously Amended) The invention of Claim 4, wherein said receiving means is formed in said slots or holes.

6. (Original) The invention of Claim 1, wherein said front surface comprises a compound curved shape.

RECEIVED
OCT 14 2003
TECHNOLOGY CENTER 2800

7. (Previously Amended) The invention of Claim 1, wherein said receiving means comprises a plurality of open slots.

8. (Previously Amended) The invention of Claim 1, wherein said receiving means comprises a plurality of holes.

9. (Previously Amended) The invention of Claim 8, wherein said holes comprise a first set of holes and a second set of holes smaller than said holes in said first set of holes.

10. (Original) The invention of Claim 9, wherein said sets of holes are arranged in rows of holes.

11. (Original) The invention of Claim 10, wherein each row of holes is located within a well of a diffusive surface.

12. (Original) The invention of Claim 10, wherein each row of holes is located across a plurality of wells of a diffusive surface.

13. (Original) The invention of Claim 1, further including an absorptive material overlying a rear surface of said body.

14. (Original) The invention of Claim 13, wherein said absorptive material is made of a porous absorptive material chosen

from the group consisting of fiber glass, mineral wool, cotton and foam.

15. (Previously Amended) The invention of Claim 7, wherein the slots are narrow enough to provide measurable low frequency absorption.

16. (Previously Amended) The invention of Claim 7, wherein the slots are narrow enough to provide significant low frequency absorption.

17. (Previously Amended) The invention of Claim 15, wherein said slots have a width of 0.1 millimeter to 1 millimeter.

18. (Previously Amended) The invention of Claim 16, wherein said holes have a diameter of 0.1 millimeter to 1 millimeter.

19. (Original) The invention of Claim 1, wherein a crossover frequency is chosen below which sound absorption takes place and above which diffusion takes place in accordance with required usage.

20. (Deleted)

21. (Deleted)

22. (Deleted)

23. (Deleted)

24. (Deleted)

.

.

.

.